

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2421	713/168-170.CCLS. or 713/189. CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:34
L3	2049	726/3-6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:36
L4	896	380/201-203.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:38
L5	391	380/281-282.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:38
L6	182	((encrypt\$3 or decrypt\$3) with (scrambl\$3 adj key\$1)) and ((program or (service adj provider) adj key\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:40
L7	26	6 and (2 or 3 or 4 or 5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:41
S1	14	"858184"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 09:50
S2	20	"763936"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 17:20

S3	32	tsuria.in. and yossef.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/15 17:21
S4	20	"763936"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/18 09:58
S5	13858	"380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 09:05
S6	1	S5 and CPTC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:07
S7	2	"6260029".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 11:07
S8	35463	"380".CLAS. or "713".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 11:32
S9	1	(CW or (control adj word\$1)) near3 (program adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 11:39
S10	2	"6697489".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 11:34

S11	1	(CW or (control adj word\$1)) with(program adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 11:39
S12	2	(CW or (control adj word\$1)) with((program or (service adj provider\$1)) adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 11:52
S13	3	(CW or (control adj word\$1)) same((program or (service adj provider\$1)) adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 12:03
S14	32	(scrambl\$3) same((program or (service adj provider\$1)) adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 12:50
S15	47	((encrypt\$3 or decrypt\$3) with (scrambl\$3 adj key\$1)) with ((program or (service adj provider) adj key\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 18:40
S17	169	re\$1scrambl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:48
S18	46	S17 and "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:48
S19	2	re\$1scrambl\$3 with (CW or (control adj word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 15:09

S20	13	re\$1scrambl\$3 and (CW or (control adj word))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 15:12
S21	773	record\$3 near2 (scrambl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 15:13
S22	421	S21 and @ad<="19990315"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 15:14
S23	1	S22 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 15:14
S24	4	(ECM) and ((presentation adj device\$1) with private adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:53
S25	5	(ECM) and (((presentation or second) adj device\$1) with private adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:56
S26	1	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 17:54
S27	44	(((presentation or second) adj device\$1) with private adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:08

S28	0	(identity or identification) with (access adj device\$1) with right\$1 with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:16
S29	1	(identity or identification) with ((access or first) adj device\$1) with right\$1 with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:54
S30	0	(identity or identification) with ((access or first) adj device\$1) with (copy adj control\$3) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:55
S31	0	(identity or identification) same((access or first) adj device\$1) same (copy adj control\$3) same key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 18:55
S32	1	(identity or identification) same ((access or first) adj device\$1) same (copy adj control\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:02
S33	1922	(identity or identification) same ((access or first) adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:02
S34	6	(identity or identification) same ((access or first) adj device\$1) same (copy) same key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:10
S35	0	(public adj key\$1) with (access adj provider\$1) with ECM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:11

S36	2	((public adj key\$1) with (access adj provider\$1)) and ECM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:12
S37	2	((public adj key\$1) same (access adj provider\$1)) same ECM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:12
S38	2	((public adj key\$1) same (access adj provider\$1))) and ECM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:14
S39	14	((public adj key\$1) same (access adj provider\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:33
S40	577	(access adj device) with (identity or identification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:40
S41	2	S40 and ECM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:35
S42	342	S40 and (record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:39
S43	12	(access adj device) with (identity or identification) with (right\$1 or polic\$3 or rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:40

S44	549	(access adj device) with (key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:40
S45	66	(access adj device) with (identity or identification) with key\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:42
S46	51	S45 and record\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:47
S47	3	"5890068".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 19:47
S48	4	"6035397".pn. or "6463152".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:18
S49	2	(condition\$3 adj access adj provider\$1) with (public adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:22
S50	386	(service adj provider\$1) with (public adj key\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:22
S51	0	(service adj provider\$1) with (public adj key\$1) with periodic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:23

S52	2	(service adj provider\$1) with (public adj key\$1) with periodic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:29
S53	3	"6332133".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:30
S54	2	(provider\$1) with (public adj key\$1) with periodic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/29 20:29
S55	62	TTP and ((public adj key\$1) same (de\$1scrambl\$3 o decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:02
S57	4	S55 and (condition\$3 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:01
S58	61	TTP and ((public adj key\$1) same (de\$1scrambl\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:00
S59	4	S58 and (condition\$3 adj access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:01
S60	265	(condition\$3 adj access\$3) and ((public adj key\$1) same (de\$1scrambl\$3 o decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:03



S61	216	(condition\$3 adj access\$3) and ((public adj key\$1) with (de\$1scrambl\$3 o decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:03
S62	215	(condition\$3 adj access\$3) and ((public adj key\$1) with (de\$1scrambl\$3 or decrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:16
S63	58	S62 and @ad<="19990315"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 10:04
S64	431	authentikat\$3 with (receiv\$3 adj device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:18
S65	17	(condition\$3 adj access\$3) and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:16
S66	4	authentikat\$3 with (receiv\$3 adj device\$1) with (before near3 (send\$3 or transmit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 12:19
S67	2	"5420866".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 14:31
S68	2	"5481542".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/30 14:50